	Application No.	Applicant(s)
	• •	
Notice of Allowability	09/768,500 Examiner	TAKAHASHI ET AL.
•		
	Justin P. Misleh	2612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>attached Interview Summary</u> .		
2. The allowed claim(s) is/are 29 and 33 (now renumbered 1 and 2, respectively).		
3. The drawings filed on 4/8/05 are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). <ul> <li>a)</li></ul></li></ul>		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(c)		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. $\square$ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Da 08), 7. ⊠ Examiner's Amendr	
Examiner's Comment Regarding Requirement for Deposit     of Biological Material	8. ⊠ Examiner's Stateme 9. □ Other	ent of Reasons for Allowance

Application/Control Number: 09/768,500

Art Unit: 2612

## **EXAMINER'S AMENDMENT**

Page 2

1. An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to Applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this Examiner's Amendment was given in a telephone interview with John A. Kraus on 14 July 2005.

2. The application has been amended as follows:

## **CLAIMS**

- o Please CANCEL Claims 19 28 and 30 32.
- o In Claim 33, please **DELETE** "one of Claims 19, 26, 29, 30 and 32" and **INSERT** "Claim 29".

## Allowable Subject Matter

- 3. Claims 29 and 33 (now respectively renumbered 1 and 2) are allowed.
- 4. The following is an Examiner's statement of reasons for allowance:

The closest prior art teaches a solid-state image pickup apparatus comprising: a plurality of image pickup areas each of which includes photoelectric conversion areas arranged two-dimensionally; image pickup lenses provided correspondingly to the plurality of image pickup areas respectively; microlenses for converging light, arranged between the image pickup lenses and the photoelectric conversion areas correspondingly to the photoelectric conversion areas respectively; and opening portions provided

Art Unit: 2612

correspondingly to the photoelectric conversion areas respectively, through each of which the light is incident onto the corresponding photoelectric conversion area, wherein color filters of a same color are arranged in each of the plurality of image pickup areas so that the color filters of different three colors are arranged in the plurality of image pickup areas respectively, wherein in a peripheral area of each of the plurality of image pickup areas, positions of the microlenses and the opening portions are shifted toward the center of each image pickup area more than the corresponding photoelectric conversion areas; however,

The closest prior art does not teach or fairly suggest wherein shift amounts of microlenses with respect to the corresponding photoelectric conversions areas differs between at least two of the plurality of image pickup areas wherein the color filters of the different colors are arranged respectively.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

6. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Justin P Misleh whose telephone number is 571.272.7313. The Examiner can normally be reached on Monday through Friday from 8:00 AM to 5:00 PM.

Art Unit: 2612

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Thai Q Tran can be reached on 571.272.7382. The fax phone number for the organization where this application or proceeding is assigned is 571.273.3000.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JPM 8 August 2005

PRIMARY EXAMINATES